



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

inspected, 115; immigrants inspected, 7; Pullman coaches disinfected, 6; persons inspected and entered via international foot and passenger bridge, 3,405.

Statistical reports of States and cities of the United States—Yearly and monthly.

CALIFORNIA—Berkeley.—Two weeks ended May 7, 1904. Estimated population, 20,000. Total number of deaths, 10. No deaths from contagious diseases reported.

Los Angeles.—Month of May, 1904. Estimated population, 160,000. Total number of deaths 261, including diphtheria 3, enteric fever 5, measles 2, scarlet fever 2, whooping cough 1, and 63 from tuberculosis.

Sacramento.—Month of April, 1904. Estimated population, 30,000. Total number of deaths, 34, including 5 from phthisis pulmonalis.

Stockton.—Month of April, 1904. Estimated population, 18,500. Total number of deaths not reported. Six deaths from tuberculosis reported.

FLORIDA—Tampa.—Month of April, 1904. Estimated population, 23,000. Total number of deaths 23, including whooping cough 2, and 2 from tuberculosis.

ILLINOIS—Rockford.—Month of April, 1904. Estimated population, 37,000. Total number of deaths 51, including enteric fever 1, and 7 from phthisis pulmonalis.

INDIANA—Evansville.—Month of April, 1904. Estimated population, 70,000. Total number of deaths, 73, including diphtheria 3, enteric fever 2, measles 1, and 11 from tuberculosis.

IOWA—Dubuque.—Two weeks ended May 7, 1904. Estimated population, 40,000. Total number of deaths, 16, including 3 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended May 14, 1904, from 84 observers, indicate that neuralgia, bronchitis, influenza, pleuritis, inflammation of bowels, and puerperal fever were more prevalent, and remittent fever, intermittent fever, dysentery, meningitis, cholera morbus, and whooping cough were less prevalent than in the preceding week.

Meningitis was reported present at 1 place, whooping cough at 11, diphtheria at 32, enteric fever at 35, scarlet fever at 56, pneumonia at 63, measles at 94, smallpox at 114, and phthisis pulmonalis at 259 places.

Grand Rapids.—Month of April, 1904. Estimated population, 95,000. Total number of deaths 128, including diphtheria 1, enteric fever 10, scarlet fever 2, and 15 from tuberculosis.

NEW HAMPSHIRE—Concord.—Month of March, 1904. Estimated population, 20,000. Total number of deaths 47, including diphtheria 2, and 4 from tuberculosis.

Month of April, 1904. Total number of deaths 29, including diphtheria 1, and 1 from tuberculosis.

NEW YORK—*Auburn*.—Month of April, 1904. Estimated population, 38,500. Total number of deaths, 47, including diphtheria 2, enteric fever 1, measles 1, and 5 from tuberculosis.

Buffalo.—Month of April, 1904. Estimated population, 380,000. Total number of deaths, 523, including diphtheria 6, enteric fever 2, measles 3, scarlet fever 5, whooping cough 1, and 50 from tuberculosis.

Rochester.—Month of March, 1904. Census population, 162,608. Total number of deaths, 267, including diphtheria 8, enteric fever 2, scarlet fever 6, and 31 from tuberculosis.

Month of April, 1904. Total number of deaths, 268, including diphtheria 6, scarlet fever 6, and 30 from tuberculosis.

OREGON—*Portland*.—Month of April, 1904. Estimated population, 125,000. Total number of deaths 117, including diphtheria 1, enteric fever 1, whooping cough 1, and 16 from tuberculosis.

TENNESSEE—*Chattanooga*.—Month of April, 1904. Estimated population, 40,000—white, 27,000; colored, 13,000. Total number of deaths, 25—white 17, colored 8—including 1 from tuberculosis.

VIRGINIA—*Richmond*.—Month of April, 1904. Estimated population, 100,000—white, 62,250; colored, 37,750. Total number of deaths, 151—white 72, colored 79—including 27 from tuberculosis.

Report of immigration at Baltimore.

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Baltimore, Md., May 16, 1904.

Number of alien immigrants who arrived at this port during the week ended May 14, 1904; also names of vessels and ports from which they came.

Date of arrival.	Vessel.	Where from.	Number of aliens.
May 6	King Frederick.....	Progreso.....	1
6	Rowanmore.....	Liverpool.....	1
9	Josef Di Giorgio.....	Soma, Cuba.....	1
14	Templemore.....	Liverpool.....	2
14	Kolin.....	Bremen.....	1,361
	Total		1,366

LOUIS T. WEIS, *Commissioner.*

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Baltimore, May 21, 1904.

Number of alien immigrants who arrived at this port during the week ended May 21, 1904; also names of vessels and ports from which they came.

Date of arrival.	Vessel.	Where from.	Number of aliens.
May 15	Lord Iveagh.....	Cardiff.....	1
19	Brandenburg.....	Bremen.....	1,726
20	Maine.....	London.....	2
	Total		1,729

LOUIS T. WEIS, *Commissioner.*